



WARNING



Study, understand and follow all instructions provided with this product. Read these instructions carefully before installing, operating, servicing or repairing this tool. Keep these instructions in a safe accessible place.

INTENDED USE OF THE TOOL

The PTK3 Propane Torch Kit is designed to be used with the three included quick detach torch heads to heat, braze and solder non-flammable materials and wiring. Do not modify or replace any pieces of this kit with foreign parts. Do not use these tools outside of the designed intent. Never modify the tools for any other purpose or use.



WARNING



Caution: To help prevent personal injury

- Use of this product can expose you to chemicals including ethylene glycol, gasoline vapors and engine exhaust, which are known to the State of California to cause cancer, birth defects, or reproductive harm. For more information, visit www.P65Warnings.ca.gov. Always wear ANSI approved safety equipment, safety glasses and clothing when using this product. Study, understand, and follow all instructions provided with this product. Failure to read and follow all warnings and operating instructions may result in damages and serious injury or death.
- Always wear ANSI approved goggles when using this product. (Users and Bystanders).
- Never use this tool for any application other than for which it was designed.
- Only use accessories designed for this tool.
- Never alter or modify this tool in any way.
- Improper operation and/or maintenance of the tool, modification of the tool, or use of the tool with accessories not designed for it could result in serious injury or death.
- Always select the correct accessories of the correct size and design for the job that you are attempting to perform.
- Always work in a clean, safe, well-lit, organized and adequately equipped area.
- Do not begin repairs without assurance that vehicle is in secure position, and will not move during repair.

BEFORE USE

Before use, **READ AND UNDERSTAND THE WARNINGS** and check the parts diagram and part number listing on page 2 to make sure all parts are included. If any parts are missing or damaged, please call your distributor.

1 YEAR LIMITED WARRANTY

The manufacturer warrants this product to the original user against defective material or workmanship for a period of 1 year from the date of purchase.

The manufacturer reserves the right to determine whether the part or parts failed because of defective material, workmanship or other causes. Failures caused by accident, alteration or misuse are not covered by this warranty.

The manufacturer, at its discretion, will repair or replace product covered under this warranty free of charge. Repairs or replacements of products covered under this warranty are warranted for the remainder of the original warranty period.

The manufacturer or its authorized service representatives must perform all warranty repairs. Any repair to the product by unauthorized service representatives voids this warranty. The rights under this warranty are limited to the original user and may not be transferred to subsequent owners.

The warranty is in lieu of all other warranties, expressed or implied, including warranties of merchantability and fitness for a particular purpose. Some states do not allow the exclusion or limitations of incidental or consequential damages, so the above limitations may not apply to you.

PRODUCT INFORMATION



Made in Taiwan
to Matco specifications

Innovative. Three different attachments for popular uses that can be changed even while torch is running.

Universal. Works on all 14-14.2 oz. Propane and MAPP gas cylinders.

Effective. Use the different attachments for up to 3,670° F during brazing, soldering, fastener heating and more.

DO NOT DISCARD – GIVE TO USER

PLEASE READ THE FOLLOWING SAFETY AND OPERATIONAL INFORMATION THROUGHOUT BEFORE USING THIS ITEM.



CAUTION: INDUSTRIAL TORCH, FOR INDUSTRIAL USE ONLY.

- Accessible parts may be very hot.
- Keep young children away from the appliance.
- Use only in well-ventilated area.
- Do not use the tool if it has damaged or worn seals.
- Do not use the tool if it is leaking, damaged or which does not operate properly.
- Do not modify this tool.

CONNECT THE GAS CYLINDER TO THE TORCH

The torch is made with EN521(7/16") valve to connect with standard 14-14.2 oz. propane gas bottles. Thread the torch main body onto the gas cylinder, lock the torch into the cylinder clockwise and make sure it fixes well.

SAFETY SWITCH

DO NOT HOLD THE TORCH AND POINT THE BURNER TOWARD YOURSELF!!

When the burner is not aimed toward yourself, push the safety ON-OFF switch located below the trigger to unlock the trigger, keep the safety switch pressed down when igniting.

IGNITION AND CONTINUOUS FLAME

Turn the gas adjustment knob counterclockwise 2 rounds, try to ignite the torch by pushing the trigger. If the torch is not ignited yet, try more rounds until it is working.

For continuous flame, press the continuous flame button on the side of the main body to keep the flame working.

EXTINGUISH


To turn off, press the trigger one more time to turn off the flame.

FLAME ADJUSTMENT

Turn the gas adjustment knob clockwise to reduce the flame, or increase the flame in counterclockwise rotation.

CAUTION: CONNECT THE CONTAINER IN A WELL-VENTILATED PLACE. DO NOT SMOKE.

LAYOUT



PARTS BREAKDOWN



Parts List

Index #	Part #	Description
1	PTK301	Main Body
2	PTK302	Blast Flame for brazing and large soldering
3	PTK303	Pin-point Flame for precision/small soldering jobs
4	PTK304	Large Soft Flame for shrinking and heating jobs



3 PIECE PROPANE TORCH QUICK CHANGE KIT

PTK3


ADVERTENCIA



Estudie, entienda y siga todas las instrucciones que se proveen con este producto. Lea las instrucciones detenidamente antes de instalar, operar, dar servicio o reparar esta herramienta. Guarde estas instrucciones en un lugar seguro y accesible.

EL USO DE LA HERRAMIENTA

The PTK3 Propane Torch Kit is designed to be used with the three included quick detach torch heads to heat, braze and solder non-flammable materials and wiring. No modifique ni reemplace ninguna pieza de este kit con piezas extrañas. No use estas herramientas fuera de la intención diseñada. Nunca modifique las herramientas para ningún otro propósito o uso.



ADVERTENCIA



Precaución: Para ayudar a evitar lesiones a las personas

- El uso de este producto puede exponerlo a productos químicos que incluyen etilenglicol, vapores de gasolina y gases de escape del motor, que en el estado de California son causantes de cáncer, defectos de nacimiento o daños reproductivos. Para obtener más información, visite www.P65Warnings.ca.gov.
- Siempre use equipo de seguridad aprobado por ANSI, gafas de seguridad y ropa cuando use este producto. Estudie, comprenda y siga todas las instrucciones proporcionadas con este producto. Si no lee y sigue todas las advertencias e instrucciones de funcionamiento puede ocasionar daños y lesiones graves o la muerte.
- Siempre use guantes del tipo aprobado por la ANSI para trabajar con esta herramienta (tanto usuarios como espectadores).
- Nunca utilice esta herramienta para cualquier otra cosa que no sean las aplicaciones para lo que fue diseñada.
- Sólo utilice los accesorios diseñados para esta herramienta.
- No modifique o altere esta herramienta de ninguna manera.
- El funcionamiento y/o mantenimiento inadecuado de la herramienta, la modificación, o la utilización de la herramienta con accesorios inadecuados podrían causar lesiones graves o la muerte.
- Siempre usar los correctos accesorios para el trabajo que Ud. está realizando.
- Trabaje siempre en un área limpia, segura, bien iluminada, organizada y equipada adecuadamente.
- NUNCA empiece reparaciones sin estar seguro de que el vehículo esté en posición segura y que no se mueva durante la reparación.

DESEMPACADO

Before use, **READ AND UNDERSTAND THE WARNINGS** and check the parts diagram and part number listing on page 4 to make sure all parts are included. If any parts are missing or damaged, please call your distributor.

GARANTÍA LIMITADA DE UN AÑO

El fabricante garantiza este producto al usuario original contra defectos de materiales o de mano de obra durante un periodo de un año a partir de la fecha de compra.

El fabricante se reserva el derecho a determinar si una pieza o piezas fallaron debido a material defectuoso, mano de obra, o por otras causas. Esta garantía no cubre fallas causadas por accidentes, alteraciones o uso indebido.

El fabricante, a su entera discreción, reparará o reemplazará los productos cubiertos por esta garantía sin costo alguno. Las reparaciones o reemplazos de productos cubiertos por esta garantía quedan garantizados durante el resto del periodo original de garantía.

El fabricante o sus representantes autorizados de servicio deben llevar a cabo todas las reparaciones de garantía. Toda reparación hecha al producto por representantes de servicio no autorizados invalida la presente garantía. Los derechos que ampara esta garantía están limitados al usuario original y no se pueden transferir a dueños posteriores.

Esta garantía reemplaza a todas las demás garantías expresas o implícitas, incluyendo garantías de comercialización e idoneidad para un propósito particular. Algunos estados no permiten la exclusión o limitaciones de daños incidentales o imprevistos, de manera que las limitaciones mencionadas anteriormente pueden no ser aplicables en su caso.

INFORMACIÓN DEL PRODUCTO



HECHO en Taiwan
para Matco especificaciones

Innovative. Three different attachments for popular uses that can be changed even while torch is running.

Universal. Works on all 14-14.2 oz. Propane and MAPP gas cylinders.

Effective. Use the different attachments for up to 3,670° F during brazing, soldering, fastener heating and more.

NO LO DESCARTE O DESECHE, ENTREGUELO AL USUARIO



3 PIECE PROPANE TORCH QUICK CHANGE KIT

PTK3

POR FAVOR LEA LA SIGUIENTE INFORMACIÓN OPERATIVA POR COMPLETO ANTES DE USAR ESTE ARTÍCULO.



CAUTION: INDUSTRIAL TORCH, FOR INDUSTRIAL USE ONLY.

- Accessible parts may be very hot.
- Keep young children away from the appliance.
- Use only in well-ventilated area.
- Do not use the tool if it has damaged or worn seals.
- Do not use the tool if it is leaking, damaged or which does not operate properly.
- Do not modify this tool.

CONNECT THE GAS CYLINDER TO THE TORCH

The torch is made with EN521(7/16") valve to connect with standard 14-14.2 oz. propane gas bottles. Thread the torch main body onto the gas cylinder, lock the torch into the cylinder clockwise and make sure it fixes well.

SAFETY SWITCH

DO NOT HOLD THE TORCH AND POINT THE BURNER TOWARD YOURSELF!!

When the burner is not aimed toward yourself, push the safety ON-OFF switch located below the trigger to unlock the trigger, keep the safety switch pressed down when igniting.

IGNITION AND CONTINUOUS FLAME

Turn the gas adjustment knob counterclockwise 2 rounds, try to ignite the torch by pushing the trigger. If the torch is not ignited yet, try more rounds until it is working.

For continuous flame, press the continuous flame button on the side of the main body to keep the flame working.

EXTINGUISH


To turn off, press the trigger one more time to turn off the flame.

FLAME ADJUSTMENT

Turn the gas adjustment knob clockwise to reduce the flame, or increase the flame in counterclockwise rotation.

CAUTION: CONNECT THE CONTAINER IN A WELL-VENTILATED PLACE. DO NOT SMOKE.

LAYOUT



PARTS BREAKDOWN



Parts List

Index #	Part #	Description
1	PTK301	Main Body
2	PTK302	Blast Flame for brazing and large soldering
3	PTK303	Pin-point Flame for precision/small soldering jobs
4	PTK304	Large Soft Flame for shrinking and heating jobs



3 PIECE PROPANE TORCH QUICK CHANGE KIT

PTK3

⚠ AVERTISSEMENT ⚠

Etudier, comprendre et suivre toutes les instructions fournies avec ce produit. Lire ces instructions attentivement avant d'installer, d'utiliser, d'entretenir et de réparer cet outil. Conserver ces instructions dans un endroit sécuritaire et accessible.

UTILISATION PRÉVUE DE L'OUTIL

The PTK3 Propane Torch Kit is designed to be used with the three included quick detach torch heads to heat, braise and solder non-flammable materials and wiring. Ne pas modifier ou remplacer les pièces de ce kit avec des pièces étrangères. N'utilisez pas ces outils en dehors de l'intention prévue. Ne modifiez jamais les outils à d'autres fins ou utilisations.

⚠ AVERTISSEMENT ⚠

Mise en garde: Pour aider à prévenir les blessures

- L'utilisation de ce produit peut vous exposer à des produits chimiques, notamment l'éthylène glycol, les vapeurs d'essence et les gaz d'échappement des moteurs, qui sont reconnus par l'État de Californie pour causer le cancer, des anomalies congénitales ou des problèmes de reproduction. Pour plus d'informations, visitez www.P65Warnings.ca.gov. Toujours porter un équipement de sécurité, des lunettes de sécurité et des vêtements homologués ANSI lors de l'utilisation de ce produit. Étudier, comprendre et suivre toutes les instructions fournies avec ce produit. Ne pas lire et suivre tous les avertissements et instructions d'utilisation peut entraîner des dommages et des blessures graves ou la mort.
- Toujours porter des lunettes à coques approuvées par l'ANSI lorsque vous utilisez ce produit. (Utilisateurs et Spectateurs).
- Ne jamais utiliser cet outil pour aucune application qui n'est pas conçue.
- Seulement utiliser les accessoires conçus pour cet outil.
- Ne jamais modifier cet outil.
- Le fonctionnement et/ou l'entretien incorrect de cet outil, la modification de cet outil, ou l'utilisation de cet outil avec les accessoires non conçus pour lui devrait causer des blessures graves ou la mort.
- Toujours utiliser les accessoires adéquats pour le travail que vous effectuez.
- Toujours travailler dans un environnement propre, sécuritaire, bien éclairé, organisé et suffisamment équipé.
- Ne pas commencer les réparations sans assurance que le véhicule est en position de sécurité, et ne se déplace pas lors de la réparation.

DESEMPACADO

Before use, **READ AND UNDERSTAND THE WARNINGS** and check the parts diagram and part number listing on page 6 to make sure all parts are included. If any parts are missing or damaged, please call your distributor.

1 ANNÉE DE GARANTIE LIMITÉE

Le fabricant garantit à l'acheteur initial que ce produit est exempt de tout vice de matériel et de fabrication pendant une période de une année suivant la date de l'achat.

Le fabricant se réserve le droit de déterminer si la pièce ou les pièces défectueuses sont imputables à un matériel défectueux, à un défaut de fabrication ou à d'autres causes. Les défaillances causées par un accident, une modification ou une utilisation incorrecte ne sont pas couvertes par la présente garantie.

Le fabricant, à sa seule discrétion, réparera ou remplacera sans frais les produits couverts par cette garantie. Les réparations ou les remplacements de produits couverts par cette garantie sont garantis pour le reste de la période de garantie initiale.

Le fabricant ou ses représentants de service autorisés doivent exécuter les réparations sous garantie. Toute réparation du produit effectuée par un représentant de service non-authorized annulera cette garantie. Les droits couverts par cette garantie sont limités à l'acheteur initial et ne peuvent être transférés aux propriétaires subséquents.

Cette garantie remplace toutes autres garanties, expresses ou implicites, incluant les garanties de valeur marchande ou d'adaptation à un usage particulier. Certains États ou provinces ne permettent pas d'exclure ou de limiter les dommages consécutifs ou indirects, donc les limitations ci-dessus pourraient ne pas s'appliquer.

INFORMATIONS PRODUIT



Fabriquée à Taiwan
les spécifications de Matcos

Innovative. Three different attachments for popular uses that can be changed even while torch is running.

Universal. Works on all 14-14.2 oz. Propane and MAPP gas cylinders.

Effective. Use the different attachments for up to 3,670° F during brazing, soldering, fastener heating and more.

NE PAS JETER-DONNER À L'UTILISATEUR



3 PIECE PROPANE TORCH QUICK CHANGE KIT

PTK3

PLEASE READ THE FOLLOWING SAFETY AND OPERATIONAL INFORMATION THROUGHOUT BEFORE USING THIS ITEM.



CAUTION: INDUSTRIAL TORCH, FOR INDUSTRIAL USE ONLY.

- Accessible parts may be very hot.
- Keep young children away from the appliance.
- Use only in well-ventilated area.
- Do not use the tool if it has damaged or worn seals.
- Do not use the tool if it is leaking, damaged or which does not operate properly.
- Do not modify this tool.

CONNECT THE GAS CYLINDER TO THE TORCH

The torch is made with EN521(7/16") valve to connect with standard 14-14.2 oz. propane gas bottles. Thread the torch main body onto the gas cylinder, lock the torch into the cylinder clockwise and make sure it fixes well.

SAFETY SWITCH

DO NOT HOLD THE TORCH AND POINT THE BURNER TOWARD YOURSELF!!

When the burner is not aimed toward yourself, push the safety ON-OFF switch located below the trigger to unlock the trigger, keep the safety switch pressed down when igniting.

IGNITION AND CONTINUOUS FLAME

Turn the gas adjustment knob counterclockwise 2 rounds, try to ignite the torch by pushing the trigger. If the torch is not ignited yet, try more rounds until it is working.

For continuous flame, press the continuous flame button on the side of the main body to keep the flame working.

EXTINGUISH


To turn off, press the trigger one more time to turn off the flame.

FLAME ADJUSTMENT

Turn the gas adjustment knob clockwise to reduce the flame, or increase the flame in counterclockwise rotation.

CAUTION: CONNECT THE CONTAINER IN A WELL-VENTILATED PLACE. DO NOT SMOKE.

LAYOUT



PARTS BREAKDOWN



Parts List

Index #	Part #	Description
1	PTK301	Main Body
2	PTK302	Blast Flame for brazing and large soldering
3	PTK303	Pin-point Flame for precision/small soldering jobs
4	PTK304	Large Soft Flame for shrinking and heating jobs